

Index

- accuracy 5-9, 5-10
 - of data reporting 5-15
- acid drainage 3-19
- algae 3-20, 3-21, 3-22, 3-25, 3-27, 4-12
- algal alert 3-19
 - bloom 3-16
 - monitoring A4-1 to A4-5, A4-14 to A4-19
- ambient water, ecotoxicity testing 5-13
- amphipods 3-22
- analysis of covariance (ANCOVA) A5-18, A5-38
- analysis of variance (ANOVA) A5-14 to A5-18
 - factorial A5-16
 - fixed effects A5-32
 - for BACI designs (ANOVA) 3-4, 3-6
 - nested A5-35
 - single factor A5-34
 - two-factor A5-37
- analytes 5-1, 5-4
- analytical equipment 5-8
- analytical laboratory 5-5, 5-8 to 5-11
- analytical methods (lab) 5-3, 5-4, 5-5
- analytical methods (stats) 6-1 to 6-28, A5-1 to A5-42
- anodic stripping voltametry 5-11
- ANZECC xi, 1-1, A1-1
- ANZLIC 5-6
- aquatic ecosystem protection 3-20
- aquatic organisms, sampling of 4-11
- aquatic system 2-4
- aquifer 4-7
- ARMCANZ xi, 1-1, A1-1
- atomic absorption spectrophotometry 5-11
- AUSRIVAS 3-24, 3-27
- autocorrelation, *see also* inter-correlation, serial correlation
 - 3-12, 3-15, 3-17, 6-22, 6-24, A5-7
- autocorrelation function (ACF) 6-23
 - partial A5-7, A5-8
- automatic samplers, sampling 3-16, 4-6
- BACI monitoring design family, 3-3 to 3-5, 6-16
- bacteria, as test organisms 3-20, 3-21, 3-25, 3-26, 4-7, 4-12
- Bartlett's test A5-36
- base flow 3-15, 3-16
- baseline/predisturbance data 3-6, 3-32
- beneficial uses 2-1
- benthic organisms 3-25, 4-9
- bias 5-9, 5-11
 - reporting 5-15
- binomial approach to data comparison with a guideline 6-19
- bioaccumulation 3-21, 3-23
- bioassays 3-20 to 3-22, 3-23
- biochemical oxygen demand 3-19
- biological measurement parameters, *see* measurement parameters
- biological processes and transformations 2-5, 2-6
- biological sampling 4-16
- biomagnification 3-21, 3-23
- biomarkers 3-22, 3-23
- biomonitoring A3-11
- biotic indices 3-25, 3-26, 3-28, 3-30
- biotic integrity 3-28
- bivalves 4-12
- blanks 4-6, 4-15 to 4-16, 5-11, A4-8
 - for toxicity testing 5-13
- bottle/bucket sampling 4-5
- box-plot A5-2
- Burrinjuck Dam, monitoring of A4-1 to A4-5
- calibration curves 5-11
- calibration of instruments 4-13, 5-8
- carbon 3-19, 3-28, 3-32
- care for personnel, environment 4-18
- cause-effect relationships 2-4, 3-7, 3-17, 6-8
- Central Limit Theorem 6-11, A5-9
- central tendency measures 6-7, A5-2
- certified reference materials 5-10
- chain of custody 4-14, 5-6, 5-7
- change, early detection of 3-23
- checklist for
 - data analysis 6-2
 - designing a reporting system 7-2
 - field sampling program 4-2
 - laboratory analyses 5-2 to 5-3
 - setting monitoring program objectives 2-2
 - selection of measurement parameters 3-19
 - study design 3-2
- chemical processes and transformations 2-5, 2-6
- chlorophyll 3-19,
- clustering 3-7
- COAG xi, 1-1, A2-1 to A2-4
- coastal marine monitoring A4-14 to A4-19
- coefficient of variation 6-5, 6-7, 6-8, A5-1
- communication between monitoring teams 1-2

- communities (organisms) 3-21, 3-30
- community, environmental awareness A3-8
- community groups (people) 1-1
- community monitoring of water quality 3-18, 3-27, A1-1, A3-2, A3-3, A3-5 to A3-9
- comparison to guideline or trigger value 6-17 to 6-21
- conceptual process models 2-4 to 2-8, 3-13, 3-19
 - for coastal marine case study A4-15
 - for estuarine case study A4-11
 - for groundwater case study A4-6
 - for surface water case study A4-1
- confidence intervals 6-15, 6-26 to 6-28, A5-30
 - ellipse A5-6
 - for comparison with a guideline A5-11
 - for mean A5-12
 - for median A5-11
 - interval estimation A5-9 to A5-12
- confidence limits 6-13, 6-15, 6-18
- containers
 - cleaning 4-5, 4-10
 - lids 4-15
 - types 4-10
- contaminants 3-16, 3-31
 - acid 3-27
 - heavy metal 3-27
 - model of sources and transport 2-5
 - organic 3-26, 3-27
 - trace 4-5
- contaminant tolerance scores
 - macroinvertebrate 3-26
- contamination when sampling 4-11
 - assessment of 4-15 to 4-16
 - avoiding/preventing 4-4, 4-5, 4-15
- continuous automatic sampling 4-4, A3-10, A3-11
- control charts 5-15, 6-10, 6-18 to 6-19
 - for ecotoxicity testing 5-13
 - of means 5-14
- control sites 3-3, 3-4 to 3-5, 3-6, 3-12, A5-15
 - spatial A5-15, A5-16
 - temporal A5-15, A5-16
- coordinated monitoring programs A4-17
- coring (sediments) 4-9
- correlation coefficient 6-22, 6-25
- correlation/correlated data 6-11
 - analysis 6-21 to 6-22, A5-23
- costs, finance, cost-effectiveness 3-8, 3-10, 3-11, 3-17, 3-19, 3-33, 4-1
 - see also* financial
- Council of Australian Governments, *see* COAG
- count data 6-3, A5-1, A5-40
- criteria for evidence of causation 3-7, 3-9
- criteria for test acceptability (ecotoxicity) 5-12
- criteria for use of particular taxonomic groups 3-26
- data, *see also* monitoring data
 - access by users 5-6
 - analysis and interpretation 6-1 to 6-28, A5-1 to A5-42
 - automatic transfer of 4-2
 - below detection limit 6-4
 - censored 6-4
 - harmonisation of 5-7
 - high-dimensional 6-23
 - integrity of 6-2, 6-5, A5-6
 - management 5-6
 - multivariate 6-23
 - outliers in 6-5, 6-8
 - preparation 6-4 to 6-6
 - range of 6-7, 6-8
 - reduction 6-6
 - reporting 5-7
 - requirements 3-1, 3-33, 4-1
 - smoothing 6-14
 - statistical distribution 6-11
 - storage and access 4-16, 5-6 to 5-7
 - summarising of 6-4, 6-6, A5-1, A5-4
 - transformation to normality 6-10, A4-18, A5-5
 - trends in, *see* trends
 - verification 5-7
 - visualisation 6-9
 - with many dimensions 6-23
- data-sharing A3-10, *see also* monitoring data
- databases 5-6 to 5-7
 - publicly available, statewide 7-3, A3-10
- degrees of freedom, effects of A5-11
- deionised water 5-8
- depth samplers 4-6
- Derwent Estuary monitoring A4-10 to A4-14
- descriptive statistics 3-17, A5-4, A5-29
- deviance A5-40
- devices/methods, *see also* methods
 - for sampling aquatic organisms 4-11, 4-12
 - testing of 4-5
 - see also* sampling device
- diatoms, use as indicators 3-22, 3-26, 3-27
- dissolved oxygen 3-15, 3-31, 4-1
- distribution checking 6-8, 6-11, A5-2, A5-28
- disturbance (to environment) 3-2 to 3-7
 - by sampling 4-4
 - see also* early warning

- diversity indices 3-25, 3-28, 3-29
- Dunnett's test A5-15, A5-34
- duplicate samples 4-16, 5-11, A4-8
- early detection of change 3-23
- early warning of disturbance 3-31, 6-10, 6-18
- ecological assessment 3-23 to 3-33
 - choice of method 3-32, 3-33
 - quantitative vs. RBA 3-32
- ecological integrity 3-28
- ecotoxicological assessment 3-18, 3-20 to 3-23
 - criteria for test acceptability 5-12
- ecotoxicological measurements 3-28
- ecotoxicology 3-18
- effect size 3-17, 3-32, A5-20
- electrical conductivity 3-16, 3-19
- end-users of information 2-3, 3-1, 3-34, 5-6, 7-1, 7-3
- environmental values 2-1, 3-18
- equipment, *see* methods
- error rates 3-32
- errors (measurement) 5-9
 - random 5-9
 - sampling 3-10
 - systematic 5-9
 - Type I, Type II 3-32, 6-16, A5-13, A5-20
- estuaries/estuarine 3-28, 4-5
 - monitoring case study A4-10 to A4-14
 - sediments 3-28
 - water quality 3-23
- ETP index, 3-27
- EXCEL[®] 6-3
- exploratory data analysis 6-6, 6-8
- field measurements, automatic 4-2
- field observations 4-3
- field record sheet A6-1 to A6-3
 - Waterwatch A3-7
- field samples, preventing change in 4-2, 4-7
- field sampling 4-1 to 4-18
- film/video presentation 7-5
- financial constraints 2-9, A4-12 *see also* costs
- fish 3-20, 3-21, 3-22, 3-25, 3-26, 3-27, 4-12
 - fish, diversity 3-26
 - fluctuating abundance 3-26
- flood events 3-16,
- flow/discharge, *see also* loads 4-1, A3-2
 - effects on loads 3-13, 3-15, 3-16
 - large variation of 4-4, 4-6
 - variable, 3-15, 3-16
- frameworks for
 - data analysis 6-1
 - field sampling program 4-1
 - frameworks *continued*
 - laboratory analysis program 5-1
 - reporting system 7-1
 - setting monitoring program objectives 2-2
 - study design 3-1
 - water quality monitoring program 1-3
- freezing, effects on sediments 5-14
- freshwater quality 3-23
- functional feeding groups measures 3-31
- fungi, as test organisms 3-25, 3-26, 4-12
- generalised additive models 6-17, A5-25
- generalised linear models 6-16, A5-19, A5-40
 - for BACI designs, 3-4
- global positioning system (GPS) 4-3
- governments as stakeholders A3-2 to A3-3
- grab sampling (sediments) 4-10
- gradient analyses 3-7
- gradient of disturbance 3-6
- grain size in sediments 5-14, 5-15
- graphs 6-8
- Great Barrier Reef monitoring A4-14 to A4-19
- gross primary productivity (GPP) 3-31, 3-32
- groundwater 3-12, 3-13, 3-28, 4-4, 4-7
 - monitoring case study A4-5 to A4-10
 - sampling methods/devices 4-7, 4-8
- guideline value 3-15, 3-18
 - comparison to 6-17 to 6-21
- guidelines (national) A1-2
- habitat assessment, macroinvertebrate 3-24
- harmonisation of data 5-7
- Hartley's *F*-test A5-14
- hazards 4-16 to 4-17, 5-17
- health/safety 4-16 to 4-18, 5-16 to 5-17
- health, ecological 3-19, 3-20, 3-24, 3-26, 3-31, 3-32
 - definition of 3-28
- heavy metals 3-16, 3-19
 - model of sources and transport 2-6, 2-7
- homogenisation of sediment samples 5-15
- hydrodynamic processes 2-5
- hypotheses 2-8
 - need for/no need for 2-8
- hypothesis, null A5-13
- hypothesis testing 6-16, 6-26 to 6-28, A5-12
- identification, biological samples 5-12
- independence of data 6-22, 6-23, 6-24
 - of regression data A5-24
- independent lines of evidence 3-7, 3-9
- independent methods comparisons 5-10
- index of biotic integrity (IBI) 3-30
 - benthic (B-IBI) 3-30

- indicators of disturbance or effect 3-7
- indices
 - B-IBI 3-30
 - biotic 3-25, 3-28
 - diversity 3-25, 3-28, 3-29
 - ETP 3-27
 - IBI 3-30
 - ICI 3-30
 - MCI 3-26
 - physical and chemical 3-20
 - Shannon 3-29
 - SIGNAL 3-26
 - Simpson 3-29
- industrial/municipal waste waters A4-12
- inference 6-14 to 6-21, A5-8 to A5-13
 - from change over space 3-3, 3-6
 - from change over time 3-3, 3-6
 - statistical procedures for 6-26 to 6-28
- information/records (local) 2-3, 2-4
- information requirements 7-3
- information transmission 7-4 to 7-5
- integrating samplers 4-7, 4-9
- integration of effects 3-18
- interactions A5-17, A5-36
- interim reports 7-1
- inter-correlation 3-6
- interlaboratory comparisons 5-10
- internal evaluation samples 5-10
- Internet web pages 7-5
- interpretation of data 6-25
- interquartile range 6-8
- interval data 6-24, A5-1
- intervention analysis 3-5, 3-6
- invertebrate community index (ICI) 3-30
- invertebrates 3-20, 3-21, 3-22
 - see also* macroinvertebrates
- irregular sampling in long-term designs 3-6
- issues in water quality, examples of 2-1, 2-3
- key processes 2-5
- known additions, *see also* spiking 5-11
- kurtosis 6-5, 6-11, A5-2
- laboratory analysis 5-1 to 5-17
- laboratory facilities 5-8
- lakes 3-28, 4-4
- latitude, depends on datum 4-3
- level of significance A5-20, A5-21
- level of technical detail 7-3
- Levene's test A5-36
- LIMDEP 6-5
- loads 3-13, 3-15
- local conditions, effect of 4-5
- Logan–Albert catchment A4-5 to A4-10
- longitude, depends on datum 4-3
- macroinvertebrate community index (MCI) 3-26, 3-30
- macroinvertebrates, as test organisms 3-21, 3-23 to 3-25, 3-28, 4-2, 4-12
 - community structure 3-26
- macrophytes, as test organisms, 3-25, 3-26, 4-12
- maintenance of equipment 4-13
- management issues 2-9
 - see also* water quality management
- marine waters 4-4
- mayfly 3-22
- MBACI design 3-4, 3-32
- mean 6-5, 6-10, 6-25, 6-26
 - arithmetic 6-7, A5-1
 - normal distribution of 6-11
 - distribution of A5-10
 - geometric 6-7
 - harmonic 6-7
 - trimmed 6-7, 6-8
- means charts 5-15
- measurement parameters 3-18 to 3-33
 - biological 3-6, 3-15, 3-20 to 3-32, A3-2
 - criteria for 3-26
 - ecotoxicological 3-20 to 3-23
 - functional feeding groups 3-31
 - indices, *see* indices
 - physical and chemical 3-6, 3-16, 3-19 to 3-20
 - similarity measures 3-31
 - stream community metabolism 3-31
- media reports 7-5
- median 6-7, 6-8, 6-25
 - confidence limits for A5-11
 - use with guideline value 6-17
- meetings presentations 7-4
- membrane samplers 4-7
- mercury 4-6
- metabolism, *see* stream community metabolism
- metadata 5-6
- metals, *see* heavy metals
- methods
 - for field sampling 4-3 to 4-12
 - for groundwater sampling 4-7 to 4-8
 - for laboratory analyses 5-3 to 5-6, 5-1 to 5-17
 - for sampling organisms 4-12
 - for sediment sampling 4-9
 - independent comparison 5-10
 - statistical 6-1 to 6-28, A5-1 to A5-42
- metrics 3-30
- Ministerial councils 1-1
- MINITAB® 6-3, 6-11

- missing data 3-6
- mixing of water 3-13
- mode 6-7, A5-1
- model diagnostics 6-8
- models, climatic effects 2-7
- models, *see* conceptual process models
- monitoring data, sharing of 1-2
 - coordinated monitoring programs A4-17
 - coordination/databases 5-7, A3-8, A3-10
 - need for standard approaches 1-2
 - protocols for A3-10
- Monitoring Guidelines xi
 - address for comments xi
 - intended users 1-3
- monitoring objectives 2-1 to 2-9, 3-13
 - for coastal marine case study A4-14
 - for estuarine case study A4-10
 - for groundwater case study A4-5
 - for surface water case study A4-1
 - setting of 2-1 to 2-9
 - good 2-8
- monitoring programs/studies
 - area (spatial) 3-8
 - baseline 3-2
 - choice of method 3-33
 - descriptive 3-2
 - design of 3-1 to 3-34
 - duration 3-8
 - existing 1-1, A3-1 to A3-11
 - numbers of A3-1
 - factors to consider in A5-15
 - for system understanding 3-7
 - objectives 3-18
 - setting of 2-1 to 2-9
 - of change in space or time 3-3 to 3-7
 - preliminary information 2-3
 - scale of 3-8
 - sensitivity 3-32
 - spatial boundaries 3-8
 - stakeholders in 1-1, A3-1 to A3-4
 - structure of 1-2, 1-3
 - types of 3-1
- monitoring, scope of 1-2
- multidimensional scaling 6-24, A5-26 to A5-27
- multiple comparison procedures A5-15
- multivariate analysis 6-23
- multivariate relationships 6-8
- Murrumbidgee River study A4-1 to A4-5
- National Association of Testing Authorities (NATA), 5-5, 5-9
- National Land and Water Resources Audit 1-1
- National River Health Program 3-23, 3-26, 3-27
- National Water Quality Management Strategy, *see* NWQMS
- nationwide survey 3-24
- negative controls (ecotoxicity testing) 5-12
- nested analysis of variance A5-18
- New Zealand 3-30
- NHMRC 1-1
- nominal data 6-24, A5-1
- non-point-source discharge A4-1
- nonparametric A5-14
 - methods A4-18
 - statistics 6-16, 6-19, 6-24, A5-26
- normal distribution vs. *t* distribution A5-11
- null hypothesis 2-8
- number of quality control samples 5-15
- numbers of samples (sample size), power 3-10, A5-20 to A5-22
- nutrients 3-19
 - model of sources, pathways 2-5, 2-7
- NWQMS xi, 1-1, A1-1
 - flowchart A1-2
 - policy objective A1-1
 - technical papers A1-3
- objectives, *see* monitoring
- observations, field 4-3, A6-1 to A6-2
- O/E score, 3-24
- ordinal data 6-24, A5-1
- ordination 3-7
- organic carbon 3-31
- organic compounds 3-19
- organic contaminants in sediments 5-15
- organisms, community structure 3-25
- outliers 6-22, 6-24, A5-6
- ozone layer, hole in 6-6
- paired *t*-test A5-14, A5-31
 - dependent samples A5-31
- parameters, statistical A5-8
- parametric A5-14
- parametric approach to data comparison with a guideline 6-20
- parametric statistics A5-26, 6-16, 6-20
- passive samplers 4-7
- PATN 3-31
- peepers 5-13
- peer review 6-25, 7-3
- percentile 6-7, 6-17, A5-1
- performance audits, 5-10
- periodicity 3-11, 3-13, 3-14
- periphyton 4-12
- pesticides 4-7

- pH 3-15, 3-19, 4-1, 4-7
- phosphorus 3-16, 3-19, A4-1 to A4-5
- Phoxinos* spp. 3-15
- physical & chemical measurement parameters 3-6, 3-15 to 3-16, 3-18, 3-19 to 3-20
- physical processes & transformations 2-5, 2-6
- pilot study, 3-10, 3-11, 3-17, A5-15, A5-41
- pitfalls when defining problems 2-3
- plankton 4-12
- point source discharge A4-1
- pollution, *see* contaminants
- population A5-8
- population to be sampled 4-4
- pore waters 3-21
 - analysis, 5-14
 - sampling 5-13
- power analysis 6-18
- power, sample size (numbers) A5-41
- PowerPlant® software A5-20, A5-41
- precautions against contamination 4-11
- precipitation, sampling of 4-8
- precision 3-17, 5-9, 5-10, 5-11
 - of data, reporting 5-15
- primary report 7-2
- principal component analysis 6-23
- probability A5-12
- process control, *see also* control
 - charts 6-8, 6-10
- proficiency testing 5-10
- program design 1-2
- protocols 3-27, 4-1, A3-10
 - for data entry 5-7
 - for ecotoxicity testing 5-12
 - for laboratory analysis 5-9
 - for rapid bioassessment 3-30
 - for sample collection 4-1, 4-14 to 4-15
 - for sample preparation 4-1
 - for sample preservation 4-1
 - for sample storage 4-1, 4-12 to 4-13
 - for sediment sampling 4-9
 - for toxicity tests 3-22
 - model for others 3-32
- protozoa, as test organisms 3-25, 3-26, 4-12
- pseudoreplication 3-17
- publications 7-4
- pumping systems 4-6, 4-8
- QA/QC (quality assurance/quality control)
 - for coastal marine study A4-18
 - for data 6-2, 6-5
 - for groundwater case study A4-8
 - for handling sediments 5-13 to 5-15
- QA/QC *continued*
 - for monitoring pesticides in groundwater A4-8
 - for surface water case study A4-4
 - in biological analyses 5-12
 - in ecotoxicity testing 5-12
 - in laboratory analyses 5-8 to 5-15
 - in sampling 4-13 to 4-16
 - in the field 4-2
 - of data 5-6
- quality assurance before speed 7-2
- quality control data 5-15 to 5-16
- quality control, Waterwatch A3-8
- quantitative ecological assessment 3-32
 - protocol 3-32
- random errors 5-9
- random sampling 6-11
- range charts 5-15
- Rapid Bioassessment Protocol 3-30
- rapid biological assessment (RBA) 3-27
 - cost-effective 3-27
 - early warning system 3-28
 - protocol 3-27, 3-30
 - vs. quantitative assessment 3-28
 - vs. sampling design 3-28
 - vs. site-specific assessment 3-28
- rapid reporting 7-2
- ratio data 6-24, A5-1
- recovery of known additions (spiking) 5-11
- redox conditions (sediments) 4-10
- redox potential, 4-1
- reference sites, 3-6, 3-12, 3-24, 6-17
- reference toxicants (positive controls) 5-13
- regression analysis 6-22 to 6-23, A5-23 to A5-24, A5-42
 - for change over time 3-6
 - robust 6-23
- replicates, number of (power) 3-10, 3-17, A5-15
 - see also* power
- report format 7-2
 - laboratory reports 5-7
- reporting, information dissemination 1-2, 7-1 to 7-5
 - by programs, case studies, A4-5, A4-10, A4-14, A4-18
 - schedule, 3-33, 3-34, 7-1
 - typical, 7-1
 - users 7-3 to 7-4
- residual analysis/diagnostics A5-33, A5-37, A5-42
- review and refinement of program A4-14
- risk minimisation 4-17
- risk, of wrong decision 3-17
- river health 3-23

- rivers 3-6, 4-4
 - monitoring in 3-12
- RIVPACS 3-24
- runoff 3-15, 3-16
- S-PLUS® 6-3, 6-11, 6-12, 6-23, A5-19
- salt 3-19
- sample containers 4-10
 - cleaning of 4-10
 - materials 4-10
- sample labelling/identification 4-4, 4-12, 4-13, 4-14, 4-16, 5-7, 5-8
- sample numbers (size) 3-17, 6-18
- sample preservation and storage 4-12, 4-13
 - sediments 5-14
- sample statistics A5-9
- sampling
 - design 3-10 to 3-18, 3-19
 - for trace contaminants 4-4, 4-5, 4-6
 - frequency 3-13 to 3-16
 - for biological parameters, 3-15
 - for physical and chemical parameters, 3-15, 3-16
 - frequency/regularity of 3-4, 3-5
 - method, choice of 4-3, 4-4
 - patterns of 3-10
 - protocols 4-11
 - simple random 3-10
 - stratified 3-11, 3-12, 3-13
 - systematic 3-11
- sampling device/container
 - affecting sample 4-4
 - cleaning of 4-6, 4-7
 - materials for 4-6, 4-7
 - testing of 4-5
- sampling site
 - access to 3-12
 - choice of 4-2
 - identifying/recording positions 3-12, 4-3
 - networks 3-12
 - site location 3-11
 - variation within 3-11, 3-12, 3-13
- SAS® 6-3, A5-19
- scallop 3-20, 3-22
- scope of data 5-6
- scope of study 3-8, 3-10
- sea urchin 3-21, 3-22
- seasonal Kendall test 6-24
- sediments 3-2, 3-3, 3-19, 4-4
 - assay 3-21
 - corer 4-4, 4-9
 - grab sampler 4-4, 4-9
 - sediments *continued*
 - handling in laboratory 5-13 to 5-15
 - sampling of 4-9, 4-10
 - sieving of samples 5-14
 - storage 5-14
 - selection of analytical method 5-3
 - setting monitoring program objectives 2-1 to 2-9
 - serial correlation, in organisms 3-15
 - shallow waters 4-5
 - Shannon index 3-29
 - SHAZAM 6-5
 - shrimp 3-22
 - SIGNAL 3-26,3-27
 - significance level A5-13
 - similarity measure 3-31
 - Simpson's index 3-29
 - sippers 5-13
 - site access, 4-16, 4-17, 4-18, *see also* sampling site
 - site selection 2-4, 3-11, *see also* sampling site
 - skewness 6-5, 6-11, A5-2
 - smoother/smoothing 6-14, 6-24
 - software 6-3
 - sorting, subsampling biological samples 5-12
 - spatial boundaries 2-4, 3-8
 - spatial statistics 3-7
 - speciation of metals in sediments 5-14
 - spiking samples 4-16, 5-11, A4-8
 - staff competence 4-13, 5-8
 - stakeholders 2-3, 3-34, 7-1, 7-3, A3-2 to A3-4
 - Commonwealth Government A3-2
 - community A3-3
 - industry A3-3
 - local government A3-3
 - research organisations A3-3
 - state and territory governments A3-2
 - universities A3-3
 - standard additions *see* spiking samples
 - standard deviation 6-5, 6-7, 6-8, A5-1, A5-10
 - reporting 5-15
 - State of the Environment reporting A3-4 to A3-5
 - indicators A3-4, A3-5
 - STATISTICA® 6-3
 - statistical distributions 6-11
 - statistical inference, classical 2-8
 - statistical power 3-17,33
 - statistical procedures, common 6-26 to 6-28
 - statistical software 6-3
 - statistical test, power of A5-13
 - statistics, Bayesian A5-12
 - statistics, classical A5-12

- stratification 3-11, 3-12,
 - see also* sampling, stratified
- stream community metabolism 3-25,
 - 3-31 to 3-32
- streams 4-4
- Student's *t*-test A5-14
- studies, *see* monitoring programs/studies
- study design 3-1 to 3-34
- study types 3-1 to 3-7
- sub-lethal test 3-23
- surface water monitoring, case study
 - A4-1 to A4-5
- surface waters, sampling 4-5
- suspended solids 3-16, 3-19
- symmetry of data distribution A5-2, A5-20
- SYSTAT® 6-3
- system understanding 2-4, 3-7
- systematic errors 5-9
- t*-test, two sample A5-29
 - dependent samples A5-14
 - independent samples A5-13
- t*-values 6-15
- taxonomic richness 3-31
- taxonomy in RBA 3-28
 - skills for 3-29
- temperature 4-1
- test sites (possibly disturbed) 3-3, 3-4,
- tidal exchange model, need for A4-12
- time series, analysis 3-6, 6-22, 6-23, A5-7
- time-integrated sampling 4-4
- total concentrations 3-19
- toxicants 3-19, 3-21
 - reference 5-13
- toxicity identification and evaluation (TIE)
 - 3-21, 3-22
- toxicity test protocols 3-22
 - acute 3-20
 - chronic 3-20
- trace metals, adsorbed onto silt/clay 5-14
- tracking samples, data, results 4-14, 5-8
- transformation (mathematical) 6-10 to 6-11
- trends
 - analysis 3-6
 - cost-effective measurement 4-2
 - detection 6-8, 6-12 to 6-14
 - estimation of 3-14
 - testing for 6-24
- Trichodesmium* A4-14 to A4-19
- trigger value (see guideline)
- Tukey's multiple comparison technique
 - A5-32
- turbidity 3-19
- Type I error 6-16, 6-22, A5-13, A5-20, A5-21
- Type II error 6-16, A5-13, A5-20, A5-21
- user of data 5-6, *see also* end users
- variability, variance(s), variation 3-10, 6-7, 6-8,
 - 6-10, 6-11, 6-25, A5-1
 - equality of A5-36
 - homogeneity of A5-14
- water quality guideline, *see* guideline
- Water Quality Guidelines 1-1, 2-1, 2-3, 3-18, 3-19,
 - 3-20, 3-23, 3-27, 3-28, 3-32, 3-33, 5-5, 5-6,
 - 5-13, 6-17 to 6-19
- water quality management 1-1
 - issues underlying 2-1, 2-3
- water quality monitoring, *see* monitoring
- Water Reform Framework A2-1
- water resources, ecologically sustainable
 - management of 1-1
- waters
 - coastal A4-14 to A4-19
 - deep 4-6
 - estuarine, *see* estuaries
 - ground, *see* groundwater
 - pore, *see* pore waters
 - shallow 4-5
 - surface 4-5, A4-1 to A4-5
- water surface microlayer 4-4
- Waterwatch 3-19, 3-27, A3-2, A3-5 to A3-9
 - contact details A3-9
 - resources A3-6
 - site codes A3-8
 - web site A3-6
- wetlands 3-28
- whole ecosystem assessment 3-28