

# References

- Abdullah, A.R., Kumar, A. and Chapman, J.C. (1994): Inhibition of acetylcholinesterase in the Australian freshwater shrimp (*Paratya australiensis*) by profenofos. *Environ. Toxicol. Chem.* 13: 1861–1866.
- Adams, M.S. (2000): Development of a whole sediment toxicity test using a benthic marine microalga. Honours Thesis, University of Technology, Sydney.
- Ahlers, W.W., Reid, M.R., Kim, J.P. and Hunter, K.A. (1990): Contamination-free sample collection and handling protocols for trace elements in natural fresh waters. *Aust. J. Mar. Freshwater Res.* 41: 713–720.
- ANZECC & ARMCANZ (1994): *Policies and Principles — A Reference Document*. National Water Quality Management Strategy Paper no. 2. Australian and New Zealand Environment and Conservation Council / Agriculture and Resource Management Council of Australia and New Zealand.
- ANZECC & ARMCANZ (1998): *Implementation Guidelines*. National Water Quality Management Strategy Paper no. 3. Australian and New Zealand Environment and Conservation Council / Agriculture and Resource Management Council of Australia and New Zealand.
- ANZECC & ARMCANZ (2000): *Australian and New Zealand Guidelines for Fresh and Marine Water Quality*. National Water Quality Management Strategy Paper no. 4. Australian and New Zealand Environment and Conservation Council / Agriculture and Resource Management Council of Australia and New Zealand.
- ANZECC (1998): *Core Environmental Indicators for Reporting on the State of the Environment — Discussion Paper for Comment*. State of the Environment Reporting Task Force. Australian and New Zealand Environment and Conservation Council Secretariat, Canberra.  
At URL <http://www.environment.gov.au/soe/envindicators/coreindicators.html>
- APHA (1998): *Standard Methods for the Examination of Water and Wastewater*. 20th Edition, American Public Health Association, Water Environment Federation, American Water Works Association, Washington, USA.
- Apte, S.C., Batley, G.E., Szymczak, R., Rendell, P.S., Lee, R. and Waite, T.D. (1998): Baseline trace metal concentrations in New South Wales coastal waters. *Mar. Freshwater Res.* 49: 203–214.
- Arthington, A.H., Kennard, M.J. and Mackay, S.J. (1998): River bioassessment using fish community structure. Report GRU19 to the Land and Water Resources Research and Development Corporation.
- AS (1987a): Australian Standard AS2031.1-1987. *Selection of Containers and Preservation of Water Samples for Chemical and Microbiological Analysis. Part 1. Chemical Analysis*. Standards Australia, Homebush, NSW.
- AS (1987b): Australian Standard AS2031.1-1987. *Selection of Containers and Preservation of Water Samples for Chemical and Microbiological Analysis. Part 2. Microbiological Analysis*. Standards Australia, Homebush, NSW.
- AS (1990): Australian Standard AS3550.4 *Methods for the Analysis of Waters. Determination of Solids — Gravimetric Method*. Standards Australia, Homebush, NSW.
- AS/NZS (1995): Australian/New Zealand Standard AS/NZS 2243.3:1995. *Safety in Laboratories — Part 3: Microbiology*. Standards Australia, Homebush, NSW.
- AS/NZS (1997a): Australian/New Zealand Standard AS/NZS 2243.1:1997. *Safety in Laboratories — Part 1: General*. Standards Australia, Homebush, NSW.
- AS/NZS (1997b): Australian/New Zealand Standard AS/NZS 2243.2:1997. *Safety in Laboratories — Part 2: Chemical Aspects*. Standards Australia, Homebush, NSW.

- AS/NZS (1998a): Australian/New Zealand Standard AS/NZS 5667.1:1998. *Water Quality — Sampling — Guidance on the Design of Sampling Programs, Sampling Techniques and the Preservation and Handling of Samples*. Standards Australia, Homebush, NSW.
- AS/NZS (1998b): Australian/New Zealand Standard AS/NZS 5667.9:1998. *Water Quality — Sampling — Guidance on Sampling From Marine Waters*. Standards Australia, Homebush, NSW.
- AS/NZS (1998c): Australian/New Zealand Standard AS/NZS 5667.6:1998. *Water Quality — Sampling — Guidance on Sampling of Rivers and Streams*. Standards Australia, Homebush, NSW.
- AS/NZS (1998d): Australian/New Zealand Standard AS/NZS 5667.4:1998. *Water Quality — Sampling — Guidance on Sampling from Lakes, Natural and Man-Made*. Standards Australia, Homebush, NSW.
- AS/NZS (1998e): Australian/New Zealand Standard AS/NZS 5667.11:1998. *Water Quality — Sampling — Guidance on Sampling of Groundwaters*. Standards Australia, Homebush, NSW.
- AS/NZS (1999): Australian/New Zealand Standard AS/NZS 5667.12:1998. *Water Quality — Sampling — Guidance on Sampling of Bottom Sediments*. Standards Australia, Homebush, NSW.
- Bailey, D.A., Johnson, D. and Woolloff, D.A. (1984): The development of a comprehensive sampling program for Yorkshire Water Authority. *J. Inst. Water Eng. Sci.* 38: 435–456.
- Barbour, M.T., Plafkin, J.L., Bradley, B.P., Graves, C.G. and Wisseman, R.W. (1992): Evaluation of EPA's rapid bioassessment benthic metrics: metric redundancy and variability among reference stream sites. *Environmental Toxicology and Chemistry* 11: 437–449.
- Barbour, M.T., Stribling, J.B. and Karr, J.R. (1995): Multimetric approach for establishing biocriteria and measuring biological condition. *Biological Assessment and Criteria: Tools for Water Resource Planning and Decision Making* (W.S. Davis and T.P. Simon, eds), pp. 63–77. Lewis, Boca Raton, FL, USA.
- Barbour, M.T., Gerritsen, J., Griffith, G.E., Frydenborg, R., McCarron, E., White, J.S. and Bastian, M.L. (1996): A framework for biological criteria for Florida streams using benthic macroinvertebrates. *Journal of the North American Benthological Society* 15: 185–211.
- Barceló, C., Pawlowsky, V. and Grunsky, E. (1996): Some aspects of transformations of compositional data and the identification of outliers. *Mathematical Geology* 28: 501–518.
- Bardwell, D.A. (1991): Problem-framing: a perspective on environmental problem solving. *Environmental Management* 15: 603–612.
- Batley, G.E. (1989): Collection, preparation and storage of samples for speciation analysis. In *Trace Element Speciation: Analytical Methods and Problems* (G.E. Batley, ed.), pp. 1–24. CRC Press Inc. Florida.
- Belbin, L. (1993): *PATN — Pattern Analysis Package*. CSIRO Division of Wildlife and Rangelands Research, Canberra.
- Belbin, L. and McDonald, C. (1993): Comparing three classification strategies for use in ecology. *Journal of Vegetation Science* 4: 341–348.
- Bennett, C.A. and Franklin, N.L. (1988): *Statistical Analysis in Chemistry and the Chemical Industry*. Qualpro Inc.
- Beyers, D.W. (1998): Causal inference in environmental impact studies. *Journal of the North American Benthological Society* 17: 367–373.
- Blomqvist, S. (1991): Quantitative sampling of soft-bottom sediments: problems and solutions. *Mar. Ecol. Prog. Ser.* 72: 295–304.
- Box, G.E.P. and Cox, D.R. (1964): An analysis of transformations (with discussion). *Journal of the Royal Statistical Society Series B* 26: 211–246.
- Box, G.E.P. and Cox, D.R. (1982): An analysis of transformations revisited, rebutted. *Journal of the American Statistical Association* 77: 209–210.
- Brodie, J. (1996): *River Flood Plumes in the Great Barrier Reef*. Department of Earth Sciences JCU, & CRC Research.

- Brodie, J. and Furnas, M. (1996): Cyclone, river flood plumes and natural water quality extremes in the central Great Barrier Reef. In *Downstream Effects of Landuse*. (H.G. Hunter, A.G. Eyles, and G.E. Rayment, eds), pp. 367–374. Department of Natural Resources, Queensland, Australia.
- Bunn, S.E., Davies, P.M. and Kellaway, D.M. (1997): Contributions of sugar cane and invasive pasture grass to the aquatic food web of a tropical lowland stream. *Mar. Freshwater Res.* 48: 173–179.
- Bunn, S.E., Davies, P.M. and Mosisch, T.D. (1999): Ecosystem measures of river health and their response to riparian and catchment degradation. *Freshwater Biology* 41: 333–345.
- Burrige, T., Portelli, T. and Ashton, P. (1996): Effect of sewage on germination of three marine brown algal macrophytes. *Mar. Freshwater Res.* 47: 1009–1014.
- Burrige, T.R., Lavery, T. and Lam, P. (1995): Acute toxicity tests using *Phyllospora comosa* (Labillardiere) C. Agardh, (Phaeophyta: Fucales) and *Allorchestes compressa* Dana (Crustacea: Amphipoda). *Bulletin for Environmental Contamination and Toxicology* 55: 621–628.
- Carpenter, S.R., Frost, T.M., Heisey, D. and Kratz, T.K. (1989): Randomized intervention analysis and the interpretation of whole-ecosystem experiments. *Ecology* 70: 1142–1152.
- Chambers, J.M. and Hastie, T.J. (Eds) (1992): *Statistical Models in S*. Wadsworth and Brooks, CA, USA.
- Chapman, P.M. (1990): The Sediment Quality Triad approach to determining pollution-induced degradation. *Sci. Tot. Environ.* 97-8: 815–825.
- Chatfield, C. (1980): *Introduction to Multivariate Analysis*. Chapman and Hall, London.
- Chessman, B.C. (1995): Rapid river assessment using macroinvertebrates: a procedure based on habitat-specific family level identification and a biotic index. *Aust. J. Ecol.* 20: 122–129.
- Chessman, B.C. and McEvoy, P.K. (1998): Towards diagnostic biotic indices for river macroinvertebrates. *Hydrobiol.* 364: 169–182.
- Chessman, B.C., Grows, J.E. and Kotlash, A.R. (1997): Objective derivation of macroinvertebrate family sensitivity grade numbers for the SIGNAL biotic index: application to the Hunter River system, New South Wales. *Mar. Freshwater Res.* 48: 159–172.
- Chessman, B., Grows, J., Currey, J. and Plunkett-Cole, N. (1999): Prediction of diatom communities at the genus level for the rapid assessment of rivers. *Freshwater Biol.* 41: 317–331.
- Clarke, K.R. and Warwick, R.M. (1994): *Change in Marine Communities: An Approach To Statistical Analysis and Interpretation*. Plymouth Marine Laboratories.
- Cleveland, W.S. (1979): Robust locally-weighted regression and smoothing scatterplots. *J. Amer. Statist. Assoc.* 74: 829–836.
- Cochran, W.G. (1977): *Sampling Techniques*, 3rd edition. John Wiley, New York, USA.
- Cohen, J. (1988): *Statistical Power Analysis for the Behavioural Sciences*, 2nd edn. Lawrence Earlbaum Associates, Hillsdale, NJ.
- Collier, K.J., Wilcock, R.J. and Meredith, A.S. (1998): Influence of substrate type and physico-chemical conditions on macroinvertebrate faunas and biotic indices of some lowland Waikato, New Zealand, streams. *New Zealand Journal of Marine and Freshwater Research* 32: 1–19.
- Connell, D.W. (1981): *Water Pollution: Causes and Effects in Australia and New Zealand*, 2nd edn. University of Queensland Press, St Lucia.
- Coughanowr, C. (1995): *The Derwent Estuary Nutrient Program Technical Report*. September 1995. Department of Environment and Land Management, Hobart.
- Coughanowr, C. (1997): *State of the Derwent Estuary: A Review of Environmental Quality Data to 1997*. Supervising Scientist Report 129. Supervising Scientist, Canberra.
- Coysh, J.L., Nichols, S.J., Simpson, J.C., Norris, R.H., Barmuta, L.A., Chessman, B.C. and Blackman, P. (2000): <http://ausriv.as.canberra.edu.au/>, Web page for the AUStralian RIVER Assessment System (AUSRIVAS).
- Cressie, N.A.C. (1993): *Statistics for Spatial Data*, Revised edn. John Wiley and Sons, New York, NY, USA.

- Crompton, T.R. (1989): *Analysis of Seawater*. Butterworths, London.
- Cryer, J. (1986): *Time Series Analysis*. Duxbury Press, Boston.
- Cummins, K.W. and Klug, M.J. (1979): Feeding ecology of stream invertebrates. *Annual Review of Ecology and Systematics* 10: 147–172.
- Davies, P.E., Fulton, W. and Kalish, S. (1988): *The Environmental Effects of Effluent from the ANM Newsprint Mills at Boyer, Tasmania*. Inland Fisheries Commission.
- Davies, P.E., Fulton, W. and Kalish, S. (1989): *Water Quality in the Upper Derwent Estuary, Tasmania*. Inland Fisheries Commission Occasional Report No. 89-03.
- Davies, P.M. (1997): *Assessment of River Health By Measurement of Community Metabolism*. Report UWA14 to the Land and Water Resources Research and Development Corporation.
- Deeley, D.M. and Paling, E.I. (1999): *Assessing the Ecological Health of Estuaries*. LWRRDC Occasional paper 17/99. Urban sub program Report No. 10.
- DeShon, J.E. (1995): Development and application of the invertebrate community index (ICI). *Biological Assessment and Criteria: Tools for Water Resource Planning and Decision Making* (W.S. Davis and T.P. Simon, eds), pp. 217–244. Lewis, Boca Raton, FL, USA.
- DEST (1995): *Water Quality Monitoring in Australia*. Department of Environment, Sport and Territories, Commonwealth of Australia.
- Devries, D.R. and Stein, R.A. (1991): Comparison of three zooplankton samplers: a taxon-specific assessment. *J. Plankton Res.* 13: 53–59.
- Dixon, W. and Chiswell, B. (1996): Review of aquatic monitoring program design. *Water Research* 30: 1935–1948.
- Dobson, A.J. (1990): *An Introduction to Generalised Linear Models*. Chapman and Hall.
- Donohue, R. (2000 unpublished): Ecosystem excursion from trigger values: the binomial approach. Available from author; see section 6.4.3.6 for details.
- Doyle, C. (1998): Toxicity characterisation of contaminated sediment pore water using the sea urchin *Heliocidaris tuberculata*. Honours thesis, University of Technology, Sydney.
- EA/NLWRA (2000): *Water Monitoring in Australia*. Report and database. Environment Australia, and National Land and Water Resources Audit, Canberra.
- Eberhardt, L.L. (1976): Quantitative ecology and impact assessment. *J. Environ. Management* 4: 213–217.
- Eberhardt, L.L. (1978): Appraising variability in population studies. *J. Wildlife Management* 42: 207–238.
- Eberhardt, L.L. and Thomas, J.M. (1991): Designing environmental field studies. *Ecological Monographs* 61: 53–73.
- Elliott, J.M. (1977): *Some Methods for the Statistical Analysis of Samples of Benthic Invertebrates*, 2nd edn. Freshwater Biological Association, Ambleside, Cumbria, UK.
- Ellis, J.C. (1989): *Handbook on the Design and Interpretation of Monitoring Programs*. Water Research Centre. Medmenham.
- Ellis, J.C. and Lacy, R.F. (1980): Sampling: defining the task and planning the scheme. *Water Pollut. Control* 79: 452.
- El-Shaarawi, A.H. and Esterby, S.R. (1992): Replacement of censored observations by a constant: an evaluation. *Water Res.* 26: 835–844.
- Environment Australia (1996): *Australia: State of the Environment*. Environment Australia, Commonwealth Government, Canberra.
- Environment Australia (1998): *Environmental Indicators Developed for National State of the Environment Reporting*. Environment Australia, Commonwealth Government, Canberra.
- Environment Canada (1990a): *Biological Test Method: Acute Lethality Test Using Daphnia spp.* Environmental Protection Series Report EPS 1/RM/11.

- Environment Canada (1990b): *Guidance Document on Control of Toxicity Test Precision Using Reference Toxicants*. Report EPA 1/RM/12, Environment Canada, Conservation and Protection, Ottawa, Ontario, Canada.
- Environment Canada (1992): Growth inhibition test using the freshwater alga *Selenastrum capricornutum*. Environmental Protection Series Report EPS 1/RM/25.
- Environment Canada (1994): *Guidance Document on Collection and Preparation of Sediments for Physicochemical Characterisation and Biological Testing*. Report EPS 1/RM/29.
- EPA (1992): *Pre-commissioning Phase Contaminants in Sediments (Sydney Deepwater Outfalls Environmental Monitoring Program)*. Prepared by L. Gray. NSW Environment Protection Authority Marine Section. Report Volume 10, SPCC TR 92/91.
- EPAV (1992): *Guidelines for the Design of Water Quality Surveys*. Environmental Protection Authority, Water and Natural Resources Section.
- Esterby, S.R. (1996): Review of methods for the detection and estimation of trends with emphasis on water quality applications. *Hydrological Processes* 10: 127–149.
- Fairweather, P.G. (1991): Statistical power and design requirements for environmental monitoring. *Australian Journal of Marine and Freshwater Research* 42: 555–567.
- Fairweather, P. and Napier, G. (1998): *Environmental Indicators for National State of the Environment Reporting — Inland Waters*. Australia: State of the Environment (Environmental Indicator Reports), Department of the Environment, Canberra.  
At URL: <http://www.environment.gov.au/soe/envindicators/inland-ind.html>
- Falconer, I.R. (1994): Comparative evaluation of methods for testing the toxin content of cyanobacterial blooms and related water supplies. *Proc. Int. Workshop on Toxic Cyanobacteria: Current Status of Research and Development*, Adelaide, March 1994.
- Fore, L.S., Karr, J.R. and Wisseman, R.W. (1996): Assessing invertebrate responses to human activities: evaluating alternative approaches. *Journal of the North American Benthological Society* 15: 212–231.
- Fox, D.R. (1999): Setting water quality guidelines — a statistician's perspective. *SETAC News*, May 1999, 17–18.
- Fox, D.R. (2000 unpublished): Using beta-content tolerance intervals to derive water quality guidelines. Available from CSIRO Environmental Projects Office, at URL: <http://www.epo.csiro.au/library/wqguideline.pdf>
- Franklin, N., Stauber, J.L., Markich, S.M. and Lim, R.P. (2000): pH-dependent toxicity of copper and uranium to a tropical freshwater alga (*Chlorella* sp.). *Aquatic Toxicology* 48: 275–289.
- Galpin, J.S. and Basson, B. (1990): Some aspects of analysing irregularly spaced time dependent data. *South African Journal of Science* 86: 458–461.
- Garner, F.C., Stapanian, M.A. and Fitzgerald, K.E. (1991): Finding causes of outliers in multivariate data. *Journal of Chemometrics* 5: 241–248.
- Gilbert, R.O. (1987): *Statistical Methods for Environmental Pollution Monitoring*. Van Nostrand Reinhold, New York.
- Gilliom, R.J. and Helsel, D.R. (1986): Estimation of distributional parameters for censored trace level water quality data. 1: estimation techniques. *Water Resources Research* 22: 135–146.
- Gilliom, R.J., Hirsch, R.M. and Gilroy, E.J. (1984): Effect of censoring trace-level water quality data on trend detection capability. *Environmental Science Technology* 18: 530–535.
- Gleason, H.A. (1922): On the relation between species and area. *Ecology* 3: 158–162.
- Gore, J.A. (Ed.) (1985): *The Restoration of Rivers and Streams*. Butterworth, Stoneham.
- Gower, J.C. (1987): Measures of similarity, dissimilarity and distance. In: *Encyclopedia of Statistical Sciences Vol. 5* (S. Kotz and N.L. Johnson, eds), pp. 397–405. Wiley, New York, USA.
- Grasshoff, K., Kremling, K. and Ehrhardt, M. (1999): *Methods of Seawater Analysis*. Third Edition, Wiley-VCH, Weinheim.

- Green, R.H. (1979): *Sampling Design and Statistical Methods for Environmental Biologists*. John Wiley and Sons, New York.
- Green, R.H. (1989): Power analysis and practical strategies for environmental monitoring. *Environmental Research* 50: 195–205.
- Green, R.H. (1994): Aspects of power analysis in environmental monitoring. In *Statistics in Ecology and Environmental Monitoring* (D.J. Fletcher and B.F.J. Manly, eds), pp. 173–182. University of Otago Press, Dunedin, New Zealand.
- Growns, J.E., Chessman, B.C., McEvoy, P.K. and Wright, I.A. (1995): Rapid assessment of rivers using macro-invertebrates: a case study in the Nepean River and Blue Mountains, NSW. *Aust. J. Ecol.* 20: 130–141.
- Growns, J.E., Chessman, B.C., Jackson, J.E. and Ross, D.G. (1997): Rapid assessment of Australian rivers using macroinvertebrates: cost and efficiency of six methods of sample processing. *J. North Amer. Benthol. Soc.* 16: 682–693.
- Growns, J.E., King, A.J. and Betts, F.M. (1999): The snag bag, a new method for sampling in situ macroinvertebrate communities on large woody debris. *Hydrobiologia* 405: 67–77.
- Gunther, A.J., Spies, R.B., Stegeman, J., Woodin, B., Carney, D., Oakden, J. and Hain, L. (1997): EROD activity in fish as an independent measure of contaminant-induced mortality of invertebrates in sediment bioassays. *Marine Environmental Research* 44: 41–49.
- Gunthorpe, L., Nottage, M., Palmer, D. and Wu, R. (1995): The development of a fertilisation inhibition bioassay using gametes of the brown alga *Hormosira banksii*. *Australasian Journal of Ecotoxicology* 1: 25–31.
- Gunthorpe, L., Nottage, M., Palmer, D. and Wu, R. (1997): *Development and Validation of a Fertilisation Inhibition Bioassay That Uses Gametes of Hormosira banksii*. National Pulp Mills Research Program Technical Report No. 21, Canberra, CSIRO.
- Gy (1986): The analytical and economic importance of correctness in sampling. *Anal. Chim. Acta* 190: 13–23.
- Hall, G.E.M. (1998): Relative contamination levels observed in different types of bottle used to collect water samples. *Explore* 101: 3–7.
- Harris, D.J. and Keffer, W.J. (1974): Wastewater sampling methodologies and flow measurement techniques. US Environmental Protection Agency, Kansas City MO, 1974 EPA 907-974-005.
- Harris, J.H. (1995): The use of fish in ecological assessments. *Aust. J. Ecol.* 20: 65–80.
- Harris, J.H. and Gehrke, P.C. (1997): *Fish and Rivers in Stress: The NSW Rivers Survey*. NSW Fisheries Office of Conservation, and Cooperative Centre for Freshwater Ecology.
- Harris, J.H. and Silveira, R. (1999): Large-scale assessments of river health using an Index of Biotic Integrity with low-diversity fish communities. *Freshwater Biology* 41: 235–252.
- Hart, B.T. and Davies, S.H.R. (1977): Batch method for the determination of ion exchangeable trace metals in natural waters. *Aust. J. Mar. Freshwater Res.* 28: 397–402.
- Hart, B.T., McKelvie, I.D. and Benson, R. (1993): Real-time instrumentation for monitoring water quality: an Australian perspective. *TrAC* 12: 403–412.
- Hart, B.T., Ottaway, E.M. and Noller, B.N. (1987): Magela Creek system Northern Australia I. 1982–83 Wet-season water quality. *Australian Journal of Marine and Freshwater Research* 38: 261–288.
- Haski, R., Cardilini, G. and Bartolo, W.C. (1997): *Laboratory Safety Manual: An Essential Manual for Every Laboratory*. CCH Australia Ltd.
- Hastie, T.J. and Tibshirani, R.J. (1990): *Generalized Additive Models*. Chapman and Hall.
- Hayes, C.R., Warn, A.E. and Green, L.A. (1985): Development of comprehensive water supply quality control in Anglian Water. *J. Inst. Water Eng. Sci.* 39: 539–547.
- Hayslip, G.A. (1993): *EPA Region 10 In-stream Biological Monitoring Handbook (for Wadable Streams in the Pacific Northwest)*. US Environmental Protection Agency-Region 10, Environmental Services Division, Seattle, Washington, EPA-910-9-92-013.
- Hellawell, J.M. (1986): *Biological Indicators of Freshwater Pollution*. Elsevier, London and New York.

- Helsel, D.R. and Gilliom, R.J. (1986): Estimation of distributional parameters for censored trace level water quality data. 2: Verification and applications. *Water Resources Research* 22: 147–155.
- Helsel, D. and Hirsch, R.M. (1992): *Statistical Methods in Water Resources*. Elsevier, Amsterdam.
- Helsel, D.R. and Hirsch, R.M. (2000): *Statistical Methods in Water Resources*. Studies in Environmental Science 49. Elsevier, New York.
- Hickey, C.W. (1988): Benthic chamber for use in rivers: testing against oxygen mass balances. *J. Environmental Engineering* 114: 828–845.
- Hill, A.B. (1965): The environment and disease: association or causation? *Proceedings of the Royal Society of Medicine* 58: 295–300.
- Hogan, A. (1998): Development and application of marine toxicity identification evaluation (TIE) using unicellular algae. B.Sc. Honours Thesis, University of Technology, Sydney.
- Holdway, D.A., Brennan, S.E. and Ahokas, J.T. (1994): Use of hepatic MFO and blood enzyme biomarkers in sand flathead (*Platycephalus bassensis*) as indicators of pollution in Port Phillip Bay, Australia. *Marine Pollution Bulletin* 28: 683–695.
- Holdway, D.A., Brennan, S.E. and Ahokas, J.T. (1995): Short review of selected fish biomarkers on xenobiotic exposure with an example using fish hepatic mixed-function oxidase. *Aust. J. Ecol.* 20: 34–44.
- Hotzel, G. and Croome, R. (1998): *A Phytoplankton Methods Manual for Australian Rivers*. Occasional Paper No. 18/98. Land and Water Resources Research and Development Corporation, Canberra.
- Humphrey, C.L., Bishop, K.A. and Brown, V.M. (1990): Use of biological monitoring in the assessment of effects of mining wastes on aquatic ecosystems of the Alligator Rivers Region, tropical northern Australia. *Environ. Monit. Assess.* 14: 139–181.
- Humphrey, C.L., Faith, D.P. and Dostine, P.L. (1995): Baseline requirements for assessment of mining impact using biological monitoring. *Aust. J. Ecol.* 20: 150–166.
- Hunt, D.T.E. and Wilson, A.L. (1986): *The Chemical Analysis of Water, General Principles and Techniques*. Royal Society of Chemistry, Cambridge.
- Hurlbert, S.H. (1984): Pseudoreplication and the design of ecological field experiments. *Ecological Monographs* 54: 187–211.
- Hyne, R.V. and Everett, D.A. (1998): Application of a benthic euryhaline amphipod *Corophium* sp. as a sediment toxicity testing organism for both freshwater and estuarine systems. *Archives of Environmental Contamination and Toxicology* 34: 26–33.
- Hyne, R.V. and Wilson, S.P. (1997): Toxicity of acid-sulfate soil leachate and aluminium to the embryos and larvae of Australian bass (*Macquaria novemaculeata*) in estuarine water. *Environ. Pollut.* 97: 221–227.
- Hyne, R.V., Rippon, G.D., Hunt, S.M. and Brown, G.H. (1996): Procedures for the Biological Toxicity Testing of Mine Waste Waters Using Freshwater Organisms. Supervising Scientist Report 100, Supervising Scientist, Canberra.
- ISO (1989): Water quality — fresh water algal growth inhibition test with *Scenedesmus subspicatus* and *Selenastrum capricornutum*. International Standard ISO 8692: 1989(E).
- John, J. (1998): Evaluation of attached diatoms as a tool for riverine bioassessment of water quality. Land and Water Resources Research and Development Corporation Project UCW 3.
- Johnson, D.H. (1999): The insignificance of statistical significance testing. *Journal of Wildlife Management* 63: 763–772.
- Julli, M., Chapman, J.C. and Thompson, G.B. (1990): Use of Australian cladocerans to generate life-cycle toxicity data. *Environ. Monit. Assess.* 14: 353–362.
- Karr, J.R. (1981): Assessment of biotic integrity using fish communities. *Fisheries* 6: 21–27.
- Karr, J.R. (1991): Biological integrity: a long-neglected aspect of water resource management. *Ecological Applications* 1: 66–84.

- Karr, J.R. and Chu, E.W. (1997): Biological monitoring: essential foundation for ecological risk assessment. *Human and Ecological Risk Assessment* 3: 993–1004.
- Karr, J.R. and Chu, E.W. (1999): *Restoring Life in Running Waters: Better Biological Monitoring*. Island Press, Washington, DC, USA.
- Karr, J.R. and Dudley, D.R. (1981): Ecological perspective on water quality goals. *Environmental Management* 5: 55–68.
- Karr, J.R., Fausch, K.D., Angermeir, P.L., Yant, P.R. and Schlosser, I.J. (1986): Assessing biological integrity in running waters: a method and its rationale. Special Publication No. 5 Illinois Natural History Survey, Champaign Illinois, USA.
- Kay, W.R., Smith, M.J., Pinder, A.M., Mcrae, J.M., Davis, J.A. and Halse, S.A. (1999): Patterns of distribution of macroinvertebrate families in rivers of north-western Australia. *Freshwater Biology* 41: 299–316.
- Keith, L.H. (1991): *Environmental Sampling and Analysis: A Practical Guide*. Lewis Publishers, Chelsea, Michigan.
- Keough, M.J. and Mapstone, B.D. (1995): *Protocols for Designing Marine Ecological Monitoring Programs Associated With BEK Mills*. National Pulp Mills Research Program No. 11, Canberra, CSIRO.
- Keough, M.J. and Mapstone, B.D. (1997): Designing environmental monitoring for pulp mills in Australia. *Water Science and Technology* 35: 397–404.
- Kerans, B.L. and Karr, J.R. (1994): A benthic index of biotic integrity (B-IBI) for rivers of the Tennessee Valley. *Ecological Applications* 4: 768–785.
- Kerekes, J. and Freedman, B. (1989): Seasonal variation of water chemistry in oligotrophic streams and rivers in Kejimikujik National Park, Nova Scotia. *Water Air Soil Pollut.* 46: 131–144.
- Kevekordes, K. and Clayton, M.N. (1996): Using developing embryos of *Hormosira banksii* (Phaeophyta) as a marine bioassay system. *Int. J. Plant Science* 157: 582–585.
- Kitchens, L.J. (1987): *Exploring Statistics: A Modern Introduction*. West Publishing Co.
- Krassoi, R., Everett, D. and Anderson, I. (1996): *Protocol for Using Doughboy Scallop Chlamys asperrima (Mollusca: Pectinidae) L. to Test the Sublethal Toxicity of Single Compounds and Effluents*. National Pulp Mills Research Program Technical Report No. 17, Canberra, CSIRO.
- Kratochvil, B. (1987): General principles of sampling. In *Sampling and Calibration for Atmospheric Measurement ASTM STP 957* (J.K. Taylor, ed.). American Society for Testing and Materials, Philadelphia, pp. 5–13.
- Kumar, A. and Chapman, J.C. (1998): Profenofos toxicity to the eastern rainbow fish (*Melanotaenia duboulayi*). *Environmental Toxicology and Chemistry* 17: 1799–1806.
- Lambert, D., Hogg, I. and Maher, W. (1992): Changes in phosphorus fractions during storage of lake water. *Water Research* 26: 645–648.
- Legendre, P. and Legendre, L. (1998): *Numerical Ecology*. 2nd edn. Elsevier, Amsterdam.
- Lenat, D.R. (1993): A biotic index for the southeastern United States: derivation and list of tolerance values, with criteria for assigning water quality ratings. *Journal of the North American Benthological Society* 12: 279–290.
- Lenat, D.R. and Barbour, M.T. (1994): Using benthic macroinvertebrate structure for rapid, cost-effective, water quality monitoring: rapid bioassessment. *Biological Monitoring of Aquatic Ecosystems* (S.L. Loeb and A. Spacie, eds), pp. 187–215. Lewis Publishers, Boca Raton, FL, USA.
- Leonard, A., Hyne, R.V., Lim, R.P. and Chapman, J.C. (1999): Effect of endosulfan runoff from cotton fields on macroinvertebrates in the Namoi River. *Ecotoxicol. Environ. Saf.* 42: 125–134.
- Leonard, A., Hyne, R.V., Lim, R.P., Leigh, K.A., Jiawei Le and Beckett, R. (in press): Particle fractionation and toxicity of endosulfan contaminated sediment. *J. Environmental Quality*.
- Lettenmaier, D.P., Anderson, D.E. and Brenner, R.N. (1984): Consolidation of a stream quality monitoring network. *Water Res. Bull.* 20: 473–481.



- Lewis, D.L. (1988): Assessing and controlling sample contamination. *Principles of Environmental Sampling* (I.D. Keith, ed.). ACS Professional Reference Book American Chemical Society, pp. 130–144.
- Liu, S., Lu, J., Kolpin, D.W. and Meeker, W.Q. (1997): Analysis of environmental data with censored observations. *Environmental Science Technology* 31: 3358–3362.
- Magmann, P. (1991): Unrecognized behaviour and sampling limitations can bias field data. *Environ. Biol. Fish* 31: 403–406.
- Maher, W. and Cullen, P. (1997): Design of nutrient programs addressing the Why question. *Proceedings of Workshop on Sampling Nutrients in Aquatic Environments: Collecting Valid and Representative Samples* (K.N. Markwort and W.A. Maher, eds), pp. 2–9. University of Canberra 21–22 April 1997. CRC Freshwater Ecology/ National Eutrophication Management Program.
- Maher, W.A., Cullen, P.W. and Norris, R.H. (1994): A framework for designing sampling programs. *Environmental Monitoring and Assessment* 30: 139–162.
- Maher, W.A. and Woo, L. (1998): Procedures for the storage and digestion of natural waters for the determination of filterable reactive phosphorus, total filterable phosphorus and total phosphorus. *Anal. Chim. Acta* 375: 5–47.
- Mapstone, B.D. (1995): Scalable decision rules for environmental impact studies: effect size, Type I, and Type II Errors. *Ecological Applications* 5: 401–410.
- Marchant, R., Hirst, A., Norris, R. and Metzeling, L. (1999): Classification of macroinvertebrate communities across drainage basins in Victoria, Australia: consequences of sampling on a broad spatial scale for predictive modelling. *Freshwater Biology* 41: 253–268.
- Margalef, D.R. (1958): Information theory in ecology. *Gen. Syst.* 3: 36–71.
- Markich, S.J. and Camilleri, C. (1997): Investigation of metal toxicity to tropical biota: recommendations for revision of the Australian water quality guidelines. Supervising Scientist report 127, Supervising Scientist, Canberra.
- McBride, G.B., Loftis, J.C. and Adkins, N.C. (1993): What do significance tests really tell us about the environment? *Environmental Management* 17: 423–432.
- McCullagh, P. and Nelder, J.A. (1983): *Generalized Linear Models*. Chapman and Hall.
- McCullough, R.D. and Wilson, B. (1999): On the accuracy of statistical procedures in Microsoft Excel 97. *Computational Statistics and Data Analysis* 31: 21–37.
- McLaren, J.W., Mykytiuk, A.P., Willie, S.N. and Berman, S.S. (1985): Determination of trace metals in seawater by inductively coupled plasma mass spectrometry with preconcentration on silica-immobilised 8-hydroxyquinoline. *Anal. Chem.* 57: 2907–2911.
- McNeil, A.R. (1985): *Microbiological Water Quality Criteria: A Review For Australia*. Australian Water Resources Council Technical Paper. Number 85. Australian Government Publishing Service. Canberra.
- Millard, S.P., Yearsley, J.R. and Lettenmaier, D.P. (1985): Space–time correlation and its effects on methods for detecting aquatic ecological change. *Canadian Journal of Fisheries and Aquatic Sciences* 42: 1391–1400.
- Miller, D.G. and Ellis, J.C. (1986): Derivation and monitoring of consents. *Water Pollution Control* 249–258.
- Miller, D.L., Leonard, P.M., Hughes, R.M., Karr, J.R., Moyle, P.B., Schrader, L.H., Thompson, B.A., Daniels, R.A., Fausch, K.D., Fitzhugh, G.A., Gammon, J.R., Halliwell, D.B., Angermeier, P.L. and Orth, D.J. (1988): Regional applications of an index of biotic integrity for water resource management. *Fisheries* 13: 12–20.
- Miller, G.A., Galanter, A.E. and Pilbram, K.H. (1960): *Plans and Structure of Behaviour*. Holt, Rinehart and Winston, New York.
- Montgomery, D.C. (1985): *Introduction to Statistical Quality Control*. John Wiley and Sons.
- Montgomery, H.A.C. and Hart, I.C. (1974): The design of sampling programs for rivers and effluents. *Wat. Pollut. Control* 73: 77–101.

- Morin, A., Mousseau, T.A. and Roff, D.A. (1987): Accuracy and precision of secondary production estimates. *Limnol. Oceanogr.* 32: 1342–1352.
- Mudroch, A. and Azcue, J.M. (1995): *Manual of Aquatic Sediment Sampling*. Lewis Publishers, Boca Raton, FL.
- Mudroch, A. and Macknight, S.D. (1991): *Handbook of Techniques for Aquatic Sediments Sampling*. CRC Press, Boca Raton, Florida, USA.
- Munday, B.L., Nowak, B.F. and Deavin, J.G. (1991): Toxicity of eucalypt-based pulp mill effluents as assessed by acute and chronic bioassays. In: *Environmental Fate and Effects of Bleached Pulp Mill Effluents* (A. Sodergren, ed.). Swedish Environment Protection Agency Report 4031.
- Muschal, M. (1998): Central and North West Regions Water Quality Program: 1997/98 Report on Pesticides Monitoring. CNR98.038, Dept of Land and Water Conservation, Centre for Natural Resources, Parramatta.
- National Research Council (1987): Committee on Biological Markers. *Environmental Health Perspectives* 75: 3–9.
- Neave, H.R. (1988): *Distribution-free Tests*. Unwin Hyman, London.
- Neter, J., Kutner, M.H., Nachtsheim, C.J. and Wasserman, W. (1996): *Applied Linear Statistical Models*, 4th edition. Irwin, Illinois.
- Nolting, R.F. and de Jong, J.T.M. (1994): Sampling and analytical methods for the determination of trace metals in seawater. *Intern. J. Environ. Anal. Chem.* 57: 189–196.
- Norris, R.H. (1986): Mine waste pollution of the Molonglo River, New South Wales and the Australian Capital Territory: effectiveness of remedial works at Captains Flat mining area. *Aust. J. Mar. Freshwater Res.* 37: 147–157.
- Norris, R.H. and Georges, A. (1986): Design and analysis for assessment of water quality. In *Limnology in Australia*. (P. De Deckker and W.D. Williams, eds), pp. 555–572. CSIRO, Melbourne and W. Junk, Dordrecht.
- Norris, R.H. and Thoms, M.C. (1999): What is river health? *Freshwater Biology* 41: 197–209.
- Norris, R.H., McElravy, E.P. and Resh, V.H. (1992): The sampling problem. In *Rivers Handbook* (P. Calow and G.E. Petts, eds), pp. 1–15. Blackwell Scientific Publishers, Oxford, England.
- Nriagu, J.O., Lawson, G., Wong, H.K.T. and Azcue, J.M. (1993). A protocol for minimising contamination in the analysis of trace metals in Great Lakes waters. *J. Great Lakes Res.* 19: 175–182.
- Odum, H.T. (1956): Primary production in flowing waters. *Limnol. Oceanogr.* 1: 102–117.
- OECD (1981): *Guidelines for Testing of Chemicals*. Organisation for Economic Cooperation and Development, Paris.
- OECD (1984): *OECD Guidelines for Testing of Chemicals*. Vol. 1. Organisation for Economic Cooperation and Development, Paris.
- Osenberg, C.W. and Schmitt, R.J. (1994): Detecting human impacts in marine habitats. *Ecological Applications* 4: 1–2.
- Ott, L. (1984): *An Introduction to Statistical Methods and Data Analysis*. Duxbury Press, Boston.
- Pablo, F., Chapman, J.C., Julli, M. and Patra, R. (1997): Toxicity characterisation of sewage treatment plant and creek water samples in the Sydney district using TIE techniques. *Proceedings of 4th Annual Conference*. Australasian Society for Ecotoxicology, Brisbane, July 1997, abstract O9.2.
- Parkhurst, D.F. (1998): Arithmetic versus geometric means for environmental concentration data. *Environmental Science and Technology News*. February 1, 1998. American Chemical Society.
- Parry, G.D., Hobday, D.R., Currie, D.R. and Officer, R.A. (1996): *The Distribution, Abundance and Diets of Demersal Fish in Port Phillip Bay*. Technical Report 21, Port Phillip Bay Environmental Study, CSIRO Publishing, Collingwood, Australia.
- Parsons, T.R., Maita, Y. and Lalli, C. (1985): *A Manual of Chemical and Biological Methods for Seawater Analysis*. Pergamon.

- Peterson, S.M. and Stauber, J.L. (1996): New algal enzyme bioassay for the rapid assessment of aquatic toxicity. *Bull. Environ. Contam. Toxicol.* 56: 750–757.
- Peterson, S.M., Apte, S.C., Batley, G.E. and Coade, G. (1995): Passive sampler for chlorinated pesticides in estuarine waters. *Chemical Speciation and Bioavailability* 7: 83–88.
- Plafkin, J.L., Barbour, M.T., Porter, K.D., Gross, S.S. and Hughes, R.M. (1989): *Rapid Bioassessment Protocols for Use in Streams and Rivers. Benthic Macroinvertebrates and Fish*. EPA/440/4-89/001, Office of Water Regulations and Standards, US Environmental Protection Agency, Washington, DC, USA.
- Please, P.M., Watkins, K.L. and Bauld, J. (1997): *A Groundwater Quality Assessment of the Alluvial Aquifer in the Logan–Albert Catchment, South-East Queensland*. Australian Geological Survey Organisation.
- Pratt, J.W. (1976): A discussion of the question: for what use are tests of hypotheses and tests of significance. *Communications in Statistics, Series A5*: 779–787.
- QDME (1995): *Technical Guidelines for the Environmental Management of Exploration and Mining in Queensland*. Queensland Department of Mines and Energy.
- Radford, P.J. and West, J. (1986): Models to minimize monitoring. *Water Res.* 20: 1059–1066.
- Rapport, D.J. (1991): Myths in the foundation of economics and ecology. *Biological Journal of the Linnean Society* 44: 185–202.
- Rayment, G.E. and Higginson, R. (1992): *Australian Laboratory Handbook of Soil and Water Chemical Methods*. Inkata Press, Sydney.
- RD Instruments (1989): *Acoustic Doppler Current Profilers: Principles of Operation: A Practical Primer*. RD Instruments, San Diego.
- Reimann, C., Siewers, U., Skarphagen, H. and Banks, D. (1999): Does bottle type and acid-washing influence trace element analyses by ICP-MS on water samples? *Sci Tot. Environ.* 239: 111–130.
- Resh, V.H. and Jackson, J.K. (1993): Rapid assessment approaches to biomonitoring using benthic macroinvertebrates. In *Freshwater Biomonitoring and Benthic Macroinvertebrates* (D.M. Rosenberg and V.H. Resh, eds), pp. 195–233. Chapman and Hall, New York.
- Resh, V.H., Norris, R.H. and Barbour, M.T. (1995): Design and implementation of rapid assessment approaches for water resource monitoring using benthic macroinvertebrates. *Australian Journal of Ecology* 20: 108–121.
- Robson, A.J. and Neal, C. (1996): Water quality trends at an upland site in Wales, UK, 1983–1993. *Hydrological Processes* 10: 183–203.
- Rousseeuw, P.J. and Yohai, V. (1984): Robust regression by means of *S*-estimators. In *Robust and Nonlinear Time Series Analysis*. (J. Franke, W. Hardle and R.D. Martin, eds), pp. 256–272. Lecture Notes in Statistics 26. Springer-Verlag.
- Rossi, R.E., Mulla, D.J., Journel, A.G. and Franz, E.H. (1992): Geostatistical tools for modeling and interpreting ecological spatial dependence. *Ecological Monographs* 62: 277–314.
- Schneider, P. and Wyllie, S.J. (1991): An efficient vibrocoring system for collecting coastal sediments: a comparison with other techniques. In *Coastal Engineering — Climate for Change*. Proceedings 10th Australasian Conference on Coastal and Ocean Engineering Auckland 2–6 December 1991, 357–362.
- Schofield, N.J. and Davies, P.E. (1996): Measuring the health of our rivers. *Water: Journal of the Australian Water and Wastewater Association* 23: 39.
- Segar, D.A., Phillips, D.J.H. and Stamman, E. (1987): Strategies for long term pollution monitoring of the Coastal Oceans. In *New Approaches to Monitoring Aquatic Ecosystems* (T.P. Boyle, ed.), pp. 12–27. ASTM STP 940. American Society for Testing and Materials, Philadelphia, USA.
- Shackelford, B. (1988): *Rapid Bioassessments of Lotic Macroinvertebrate Communities: Biocriteria Development*. Arkansas Department of Pollution Control and Ecology, Little Rock, Arkansas.
- Shannon, C.E. (1948): A mathematical theory of communication. *Bell System Tech. J.* 27: 379–423, 623–656.
- Sharp, W.E. (1971): A topologically optimum water-sampling plan for rivers and streams. *Water Resources Res.* 7: 1641–1646.

- Short, C.S. (1980): Sampling programme design for water quality in distribution. *Water Serv.* 84: 529.
- Simon, J. and Laginestra, E. (1997): *Bioassay for Testing Sublethal Toxicity in Effluents Using Gametes of Sea Urchin Heliocidaris tuberculata*. National Pulp Mills Research Program Technical Report No. 20, Canberra, CSIRO.
- Simpson, E.H. (1949): Measurement of diversity. *Nature* 163: 688.
- Smith, E.P. and Voshell, J.R. Jr (1997): *Studies of Benthic Macroinvertebrates and Fish in Streams within EPA Region 3 for Development of Biological Indicators of Ecological Condition*. Virginia Polytechnic Institute and State University, Blacksburg, VA, USA.
- Sokal, R.R. and Rohlf, F.J. (1995): *Biometry: The Principles and Practice of Statistics in Biological Research*, 3rd edn. Freeman, New York.
- Spiegel, M.R. (1992): *Theory and Problems of Statistics*. McGraw-Hill, London.
- Stark, J.D. (1985): *A Macroinvertebrate Community Index of Water Quality for Stony Streams*. Water and soil miscellaneous publication 87, Wellington, NZ.
- Stark, J.D. (1993): Performance of the Macroinvertebrate Community Index: effects of sampling method, sample replication, water depth, current velocity and substratum on index values. *New Zealand Journal of Marine and Freshwater Research* 27: 463–478.
- Stark, J.D. (1998): The SQMCI: a biotic index for freshwater macroinvertebrate coded abundance data. *New Zealand Journal of Marine and Freshwater Research* 32: 55–66.
- State of the Environment Advisory Council (Eds) (1996): *Australia: State of the Environment 1996*, an independent report to the Commonwealth Minister for the Environment. Department of the Environment, Sport and Territories, (CSIRO Publishing).  
At URL: <http://www.environment.gov.au/soe/soe96/index.html>
- Stauber, J.L. (1995): Toxicity testing using marine and freshwater unicellular algae. *Australasian J. Ecotox.* 1: 15–24.
- Stauber, J.L., Tsai, J., Vaughan, G.T., Peterson, S.M. and Brockbank, C.I. (1994): *Algae as Indicators of Toxicity of the Effluent from Bleached Eucalypt Kraft Pulp Mills*. National Pulp Mills Research Program Technical Report No. 3, Canberra, CSIRO.
- Stauber, J.L., Ahsanullah, M., Nowak, B., Eriksen, R. and Florence, T.M. (1996): Toxicity assessment of waters from Macquarie Harbour, western Tasmania, using algae, invertebrates and fish. Mount Lyell Remediation Research and Demonstration Program, Supervising Scientist Report 112, ACT.
- Stevens, A., Devlin, M., Brodie, J., Baer, M. and Loury, M. (1996): Spatial influence and composition of river plumes in the Central Great Barrier Reef. In *Downstream Effects of Landuse*. (H.G. Hunter, A.G. Eyles and G.E. Rayment, eds), pp. 85–92. Department of Natural Resources, Queensland, Australia.
- Stevens, S.S. (1946): On the theory of scales of measurement. *Science* 103: 677–680.
- Stewart-Oaten, A., Murdoch, W.W. and Parker, K.R. (1986): Environmental impact assessment: 'pseudoreplication' in time? *Ecology* 67: 929–940.
- Suter, G.W. (1993): Retrospective risk assessment. *Ecological Risk Assessment* (G.W. Suter, L.W. Barnthouse, S.M. Bartell *et al.*, eds), Lewis Publishers, Ann Arbor, Michigan, USA.
- Thomas, L. and Krebs, C.J. (1997): A review of statistical power analysis software. *Bulletin of the Ecological Society of America* 78: 129–139.
- Thompson, K.W., Deaton, M.L., Foutz, R.V., Cairns, J. Jr and Hendricks, A.C. (1982): Application of time-series intervention analysis to fish ventilatory response data. *Can. J. Fish. Aquat. Sci.* 39: 518–521.
- Thompson, S.K. (1992): *Sampling*. Wiley, New York.
- Tufte, E.R. (1983): *The Visual Display of Quantitative Information*. Graphics Press, Cheshire Co.
- Turak, E., Flack, L.K., Norris, R.H., Simpson, J. and Waddell, N. (1999): Assessment of river condition at a large spatial scale using predictive models. *Freshwater Biology* 41: 283–298.

- Twining, J.R. and Nowak, B. (1996): Acute toxicity of a sulfide-bearing marine effluent to Australian bass and blue mussels. *Australasian J. Ecotox.* 2: 67–74.
- Underwood, A.J. (1990): Experiments in ecology and management: their logics, functions and interpretations. *Human and Ecological Risk Assessment* 2: 331–347.
- Underwood, A.J. (1991): Beyond BACI: experimental designs for detecting human environmental impacts on temporal variation in natural populations. *Australian Journal of Marine and Freshwater Research* 42: 569–587.
- Underwood, A.J. (1992): Beyond BACI: the detection of environmental impact on populations in the real, but variable, world. *Journal of Experimental Marine Biology and Ecology* 161: 145–178.
- Underwood, A.J. (1994): On beyond BACI: sampling designs that might reliably detect environmental differences. *Ecological Applications* 4: 3–15.
- Underwood, A.J. (1996): *Environmental Design and Analysis in Marine Environmental Sampling*. IOC Manuals and Guides No. 34. UNESCO.
- USEPA (1982): *Handbook for Sampling and Sample Preservation of Water and Wastewater*. US Department of Commerce National Technical Information Service, Cincinnati, Ohio, USA.
- USEPA (1983): *Methods for Chemical Analysis of Water and Wastes*. EPA/600/4-79-020, Revised March 1983. Environmental Monitoring Systems Support Laboratory, Office of Research and Development, US Environmental Protection Agency, Cincinnati, Ohio, USA.
- USEPA (1991a): *Methods for Aquatic Toxicity Identification Evaluations. Phase I Toxicity Characterisation Procedures*. 2nd edn. EPA-600/6-91/0303. Office of Research and Development, Duluth, MN, USA.
- USEPA (1991b): *Evaluation of Dredged Material Proposed for Ocean Disposal. Testing Manual*. US Environmental Protection Agency/US Army Corps of Engineers, Report EPA-503/8-91/001, Washington DC, USA.
- USEPA (1993): *Methods for Measuring the Acute Toxicity of Effluents and Receiving Waters to Freshwater and Marine Organisms*. 4th edn. United States Environmental Protection Agency EPA/600/4-90/027. Office of Research and Development, Cincinnati, Ohio, USA.
- USEPA (1994a): *Short-Term Methods for Estimating the Chronic Toxicity of Effluents and Receiving Water to Marine and Estuarine Organisms*. 2nd edn. United States Environmental Protection Agency EPA-600-4-91-003. Office of Research and Development, Cincinnati, Ohio, USA.
- USEPA (1994b): *Short-Term Methods for Estimating the Chronic Toxicity of Effluents and Receiving Water to Freshwater Organisms*. United States Environmental Protection Agency EPA-600-4-91-002. Office of Research and Development, Cincinnati, Ohio, USA.
- USEPA (1994c): *Methods for the Determination of Metals in Environmental Samples — Supplement 1*. Report No. EPA/600/R-94-111. United States Environmental Protection Agency, Cincinnati, Ohio.
- USEPA (1995): Code of Federal Regulations (CFR) 40, Part 136. *Methods for Organic Chemicals Analysis of Municipal and Industrial Wastewater*. US Environmental Protection Agency, Washington DC, USA.
- USEPA (1996a): *Marine Toxicity Identification Evaluation (TIE) Phase I Guidance Document*. EPA/600/R-96/054. Office of Research and Development, Washington, DC, USA.
- USEPA (1996b): *Compendium of ERT Surface Water and Sediment Sampling Procedures*. Report No. EPA 540/P-91-005, US Environmental Protection Agency, Washington, DC.
- USEPA (1996c): *Mercury in Water by Oxidation, Purge and Traps and Cold Vapour Atomic Fluorescence Spectrometry*. Method 1631. USEPA Report No. EPA/821/R-96-001. US Environmental Protection Agency, Washington DC, USA.
- USEPA (1996d): *Determination of Inorganic Arsenic in Water by Hydride Generation Atomic Absorption Spectrometry*. Method 1632. USEPA Report No. EPA/821/R-96-002. US Environmental Protection Agency, Washington DC, USA.
- USEPA (1996e): *Test Methods for Evaluating Solid Waste. Physical/Chemical Methods*. Report No. 530/SW-846. US Environmental Protection Agency, Washington DC, USA.

- Viarengo, A., Bettella, E., Fabbri, R., Burlando, B. and Lafaurie, M. (1997): Heavy metal inhibition of EROD activity in liver microsomes from the Bass *Dicentrarchus labrax* exposed to organic xenobiotics: role of GSH in the reduction of heavy metal effects. *Mar. Environ. Res.* 44: 1–11.
- Wallace, J.B., Webster, J.R. and Woodall, W.R. (1977): The role of filter feeders in flowing waters. *Arch. Hydrobiol.* 79: 506–532.
- Walpole, R.E and Myers, R.H. (1985): *Probability and Statistics for Engineers and Scientists*. Macmillan Publishing, 3rd edn. New York.
- Ward, A.K. and Johnson, M.D. (1996): Heterotrophic microorganisms. In *Methods in Stream Ecology* (F.R. Hauer and G.A. Lambert, eds), 232–235. Academic Press, San Diego.
- Ward, R.C., Loftis, J.C. and McBride, G.B. (1990): *Design of Water Quality Monitoring Systems*. Van Nostrand Reinhold, New York.
- Ward, T., Butler, E. and Hill, B. (1998): *Environmental Indicators for National State of the Environment Reporting — Estuaries and the Sea*. Australia: State of the Environment (Environmental Indicator Reports), Department of the Environment, Canberra.  
At URL: <http://www.environment.gov.au/soe/envindicators/estuaries-ind.html>
- Warwick, R.M. and Clarke, K.R. (1993): Comparing the severity of disturbance: a meta-analysis of marine macrobenthic community data. *Marine Ecology Progress Series* 92: 221–231.
- Warwick, W.F. (1989): Morphological deformities in larvae of *Procladius* Skuse (Diptera: Chironomidae) and their biomonitoring potential. *Can. J. Fish Aquatic Sci.* 46: 1255–1270.
- Welsh, D.R. and Stewart, D.B. (1989): Applications of intervention analysis to model the impact of drought and bushfires on water quality. *Australian Journal of Marine and Freshwater Research* 40: 241–257.
- Whitton, B.A. and Kelly, M.G. (1995): Use of algae and other plants for monitoring rivers. *Aust. J. Ecol.* 20: 45–56.
- WMO (1988): *Manual on Water Quality Monitoring — Planning and Implementation of Sampling and Field Testing*. Operational Hydrology Report No. 27. Secretariat of the World Meteorological Organization, Geneva, Switzerland.
- World Health Organization (1993): *Guidelines For Drinking Water Quality, Volume 1: Recommendations*, 2nd edn. World Health Organization, Geneva.
- Wright, J.F. (1995): Development and use of a system for predicting macroinvertebrates in flowing waters. *Aust. J. Ecol.* 20: 181–197.
- Yohai, V.J. and Zamar, R.H. (1998): Optimally locally robust M-estimates of regression. *Journal of Statistical Inference and Planning*.
- Yohai, V., Stahel, W.A. and Zamar, R.H. (1991): A procedure for robust estimation and inference in linear regression. In *Directions in Robust Statistics and Diagnostics, Part III*. (W.A. Stahel and S.W. Weisberg, eds). Springer-Verlag.
- Zar, J.H. (1984): *Biostatistical Analysis*. Prentice-Hall, Englewood Cliffs, NJ.
- Zhang, H. and Davison, W. (1995): Performance characteristics of diffusion gradients in thin films for the in situ measurement of trace metals in aqueous solution. *Anal. Chem.* 67: 3391–3400.

## Further reading for Case Studies, Appendix 4:

### **A4.1. Case Study 1, Burrinjuck Dam and Murrumbidgee River**

ACT and Sub-region Planning Committee & Upper Murrumbidgee Catchment Coordination Committee (1994): *Regional Water Quality Study*.

ACT Commissioner for the Environment, State of the Environment Reports 1994, 1995, 1998.

- CRC for Freshwater Ecology & CSIRO (1999): Physical and nutrient factors controlling algal succession and biomass in Burrinjuck Reservoir; Milestone Report, National Eutrophication Management Program.
- Department of Land & Water Conservation (1997): Water quality, hydrology and fisheries information for water users in the Burrinjuck Sub-catchment, Technical Report No. 97/10.
- Environment ACT and Planning and Land Management, ACT Program for the Monitoring River Health Initiative, Reports June 1997, November 1997, May 1998, August 1998.
- Environment ACT and Planning and Land Management, Canberra Water Quality Reports 1996, 1997, 1998.

#### **A4.3. Case Study 3, Derwent Estuary**

- Bloom, H. (1975): *Heavy Metals in the Derwent Estuary*. Department of Chemistry, University of Tasmania.
- Davies, P.E. and Kalish, S. (1994): Influence of river hydrology on the dynamics and water quality of the upper Derwent Estuary, Tasmania. *Aust. J. Mar. Freshwater Res.* 45: 109–130.
- Department of Environment and Land Management (1995): *The State of the Derwent*. Proceedings of a Scientific Forum.
- Department of Environment and Land Management (1996): *State of the Environment Tasmania Volume 1: Conditions and Trends*. State of the Environment Unit, Land Information Services, DELM, Hobart.
- Pasminco EZ (1996): *Environmental Management Plan*. John Miedecke & Partners Pty Ltd.
- Pasminco EZ (1996a): *Effluent Monitoring Data*. Report to Department of Environment and Land Management.
- Pirzl, H.R. (1996): Distributions and Changes of Heavy Metal Concentrations in Sediments of the Derwent Estuary. B.Sc. (Hons) Thesis, Department of Geography and Environmental Studies, University of Tasmania, Hobart.

#### **A4.4. Case Study 4, Great Barrier Reef**

- Brodie, J. and Furnas, M. (1992): Long term monitoring program for eutrophication and the design of a monitoring program for the Great Barrier Reef. In *Proceedings of the Seventh International Coral Reef Symposium*, Guam 1992. Vol. 1.
- Devlin, M., Haynes, D. and Brodie, J. (1997): Cyclone Justin (March 1997) flood plume sampling: preliminary results. In *The Proceedings of the Australian Coral Reef Society 75th Anniversary Conference*, Heron Island 1997, pp. 56–66. School of Marine Science, The University of Queensland, Brisbane.
- Greenberg, A.E., Clesceri, L.S. and Eaton, A.D. (1996): *Standard Methods for the Examination of Water and Wastewater*. 18th edition.
- Haynes, D., Brodie, J. and Devlin, M. (1997): Long-term monitoring of chlorophyll concentrations Great Barrier Reef World Heritage Area. In *Proceedings of Workshop on Sampling Nutrients in Aquatic Ecosystems: Collecting Valid and Representative Samples*. University of Canberra.
- Steven, A.D.L., Trott, L., Pantus, F. and Brooks, D. (1998): *Long-term Chlorophyll Monitoring in the Great Barrier Reef Lagoon: Status Report 1, 1993–1995*. Research Publication Number 55. Great Barrier Reef Marine Park Authority.

